



**Download any U.S. FedForm (free, fillable, savable in Adobe Reader)!  
Start with the "Flash Demo" at the top of the following page:  
[www.usa-federal-forms.com](http://www.usa-federal-forms.com)**

**Convert any fillable PDF form to savable (locally, in Adobe Reader):  
[www.savePDF.com](http://www.savePDF.com)**

**Convert any document (in any format) to PDF fillable and savable:  
[www.FillinDocs.com](http://www.FillinDocs.com)**

**All (10's of 1,000's) U.S. Federal Forms already fillable, savable:  
[www.usa-federal-forms.com](http://www.usa-federal-forms.com)**

---

### **About the ITAOP/savePDF Method**

The traditional Field-by-Field creation process is extremely ineffective and slow.

The only realistic option to create high-quality forms is the Insert-Text-Anywhere-on-Page (ITAOP) method.

The field creation process is about 10,000 times faster than the traditional method; the list of ITAOP features is not even available for the traditional method.

ITAOP savePDF method proved to be very simple and completely reliable for millions of users all over the world (incl. individuals, companies, organizations, government employees).

**FIRE EXTINGUISHER  
RECHARGE & REINSPECTION  
RECORD**

**INSPECTION CHECKLIST**

1. Access to, or visibility of, the extinguisher shall not be obstructed.
2. The operating instructions on the extinguisher nameplate shall be legible and facing outward.
3. Has the extinguisher been actuated or tampered with? Any seals or tamper indicators that are broken or missing shall be replaced.
4. Visually examine externally. Check that there is no obvious physical damage or condition that would prevent operation.
5. Inspect for any evidence of corrosion, leakage or mechanical injury. If so, extinguisher needs to be hydrostatically tested.
6. Check that the extinguisher is fully charged and operable. Be sure hose and /or nozzle is undamaged.
7. Sign-off Inspection on reverse with the date (month/year) and your initials.
8. Questions regarding inspection should be referred to the Misawa Fire Department at 226-3615/4055.

35 FW FORM 70, 19990601  
(REVERSE)

**FIRE EXTINGUISHER  
RECHARGE & REINSPECTION  
RECORD**

**INSPECTION CHECKLIST**

1. Access to, or visibility of, the extinguisher shall not be obstructed.
2. The operating instructions on the extinguisher nameplate shall be legible and facing outward.
3. Has the extinguisher been actuated or tampered with? Any seals or tamper indicators that are broken or missing shall be replaced.
4. Visually examine externally. Check that there is no obvious physical damage or condition that would prevent operation.
5. Inspect for any evidence of corrosion, leakage or mechanical injury. If so, extinguisher needs to be hydrostatically tested.
6. Check that the extinguisher is fully charged and operable. Be sure hose and /or nozzle is undamaged.
7. Sign-off Inspection on reverse with the date (month/year) and your initials.
8. Questions regarding inspection should be referred to the Misawa Fire Department at 226-3615/4055.

35 FW FORM 70, 19990601 (REVERSE)

**FIRE EXTINGUISHER  
RECHARGE & REINSPECTION  
RECORD**

**INSPECTION CHECKLIST**

1. Access to, or visibility of, the extinguisher shall not be obstructed.
2. The operating instructions on the extinguisher nameplate shall be legible and facing outward.
3. Has the extinguisher been actuated or tampered with? Any seals or tamper indicators that are broken or missing shall be replaced.
4. Visually examine externally. Check that there is no obvious physical damage or condition that would prevent operation.
5. Inspect for any evidence of corrosion, leakage or mechanical injury. If so, extinguisher needs to be hydrostatically tested.
6. Check that the extinguisher is fully charged and operable. Be sure hose and /or nozzle is undamaged.
7. Sign-off Inspection on reverse with the date (month/year) and your initials.
8. Questions regarding inspection should be referred to the Misawa Fire Department at 226-3615/4055.

35 FW FORM 70, 19990601 (REVERSE)