



**Download any U.S. FedForm (free, fillable, savable in Adobe Reader)!  
Start with the "Flash Demo" at the top of the following page:  
[www.usa-federal-forms.com](http://www.usa-federal-forms.com)**

**Convert any fillable PDF form to savable (locally, in Adobe Reader):  
[www.savePDF.com](http://www.savePDF.com)**

**Convert any document (in any format) to PDF fillable and savable:  
[www.FillinDocs.com](http://www.FillinDocs.com)**

**All (10's of 1,000's) U.S. Federal Forms already fillable, savable:  
[www.usa-federal-forms.com](http://www.usa-federal-forms.com)**

---

### **About the ITAOP/savePDF Method**

The traditional Field-by-Field creation process is extremely ineffective and slow.

The only realistic option to create high-quality forms is the Insert-Text-Anywhere-on-Page (ITAOP) method.

The field creation process is about 10,000 times faster than the traditional method; the list of ITAOP features is not even available for the traditional method.

ITAOP savePDF method proved to be very simple and completely reliable for millions of users all over the world (incl. individuals, companies, organizations, government employees).

ADULT			CHILD			
NOTE: Schedule C may be preceded by Schedule A or B						
SCHEDULE A	SCHEDULE B	SCHEDULE C	SCHEDULE D		SCHEDULE E	
0.05 ml	0.05 ml	0.05 ml	0.05 ml	0.50 ml	0.05 ml	0.35 ml
0.15 ml	0.10 ml	0.07 ml	0.10 ml		0.07 ml	0.40 ml
0.25 ml	0.20 ml	0.10 ml	0.15 ml		0.10 ml	0.45 ml
0.50 ml	0.30 ml	0.20 ml	0.20 ml		0.15 ml	0.50 ml
	0.40 ml	0.30 ml	0.25 ml		0.20 ml	
	0.50 ml	0.40 ml	0.30 ml		0.25 ml	
		0.50 ml	0.40 ml		0.30 ml	

**IMMUNOTHERAPY**

Patient is receiving immunotherapy to:  Trees  Grasses  Weeds  Molds  Dustmite  Other \_\_\_\_\_

When the maximum tolerated dose of \_\_\_\_\_ ml of vial \_\_\_\_\_ has been achieved, injections should be administered \_\_\_\_\_ weeks. An exception to this is during the period \_\_\_\_\_ when the injections should be administered \_\_\_\_\_ weeks(s).

**SPECIFIC INSTRUCTIONS**

1. A physician must always be immediately available.
2. ALL PATIENTS MUST REMAIN IN THE CLINIC AT LEAST 30 MINUTES AFTER AN INJECTION.
3. Use a 26 - 27 gauge needle and give injection into the lower deltoid area.
4. Patients receiving Beta Blockers must consult their physician before continuing Immunotherapy.
5. GRADING AND MANAGEMENT OF REACTIONS:
  - a. Negative (swelling up to 15 mm - i.e., dime size) - progress according to schedule
  - b. "A" (swelling 15 - 20 mm - i.e., dime to nickel size) - repeat the same dosage
  - c. "B" (swelling 20 - 25 mm - i.e., nickel to quarter size) - return to the last dosage which caused no reaction
  - d. "C" (swelling persisting more than 12 hours or over 25 mm - i.e., quarter size or larger) - decrease dosage by 50%
  - e. Systemic reactions (hives, rhinitis, generalized itching or asthma) may be controlled by immediately placing a tourniquet above the injection site and giving up to 0.01 ml/kg of 1:1,000 epinephrine up to 0.50 ml every 10 - 20 minutes subcutaneously.  
 NOTIFY THE PHYSICIAN! For the average adult give 0.10 ml 1:1,000 epinephrine subcutaneously in the injection site and 0.20 ml of 1:1,000 epinephrine in the other arm. Generally, the dose is reduced to 1/3 the last dosage which caused no reaction and repeated three (3) times before increasing dose. If the injections cause repeated reactions or are suspected of causing delayed symptoms repeatedly, or if reactions prevent progression of treatment, please contact 82 MDG/SGHI, Allergy Clinic, telephone no. 676-5953 ,for further instructions.
6. IF THE PATIENT MISSES THE SCHEDULE INJECTIONS BY:
  - a. Up to 7 days, increase according to schedule
  - b. 8 - 14 days, repeat the last dose
  - c. 15 - 21 days, reduce dose by 25%
  - d. 22 - 28 days, reduce dose by 50%
  - e. 29 - 42 days, reduce dose by 75%
  - f. 43 - 56 days, reduce dose by 90%
  - g. If patient misses the schedule injection by over eight (8) weeks contact the Allergy Clinic, telephone no. 676-5953.

7. REFILL EXTRACT PRESCRIPTIONS:

When starting a new treatment vial, recommend a minimum of 50% reduction in initial dose.

DATE	PRINT NAME AND GRADE OF PHYSICIAN	SIGNATURE AND GRADE OF PHYSICIAN
------	-----------------------------------	----------------------------------