

JP8+100 ACKNOWLEDGEMENT

******* REQUIRED PRIOR TO SERVICING NON JP-8+100 PROGRAM AIRCRAFT *******

THE THERMAL STABILITY ADDITIVE IN JP8+100 DISARMS CONVENTIONAL FILTER-COALESCER ELEMENTS IN FUEL DISTRIBUTION SYSTEMS. (EXCEPTION: FILTER-COALESCER RATED FOR API I581 4th EDITION, M100 CATEGORY). AIRCRAFT NOT INVOLVED IN THE JP8+100 PROGRAM SHOULD NOT BE SERVICED WITH JP8+100 UNLESS OPERATIONAL NECESSITY DICTATES. THE AIRCREW MUST JUSTIFY THE OPERATIONAL NECESSITY REQUIRING THE ISSUE OF JP8+100 AND RECORD SAME IN THE REMARKS SECTION OF THIS FORM.

******* CAUTION *******

JP8+100 DEFUELED FROM AIRCRAFT REQUIRES SPECIAL HANDLING TO PRECLUDE DISARMING CONVENTIONAL FILTER-COALESCERS IN FUEL STORAGE AND SERVICING EQUIPMENT. IF JP8+100 IS DEFUELED AND NOT HANDLED PROPERLY, THE ABILITY OF THE REFUELING EQUIPMENT TO FILTER SEDIMENT AND COALESCE AND SEPARATE WATER FROM FUEL COULD BE JEOPARDIZED. FUELS MANAGEMENT PERSONNEL MUST BE INFORMED PRIOR TO DEFUELING AN AIRCRAFT THAT HAS BEEN FUELED WITH JP8+100. DEFUELED JP8+100 SHOULD BE REISSUED TO THE SAME AIRCRAFT, TO AGE EQUIPMENT, OR TO ENGINE TEST STANDS. IF THE DEFUEL TRUCK IS EQUIPPED WITH COALESCER ELEMENTS, THE ELEMENTS MUST BE CHANGED PRIOR TO RETURNING TO FUEL SERVICING. IF NECESSARY, JP8+100 CAN BE TRANSFERRED TO JP8 OR JET A BULK STORAGE AT A BLENDING RATIO OF ONE PART JP8+100 TO ONE HUNDRED PARTS OF JP8 OR JET A.

BASE/UNIT ISSUING PRODUCT		PHONE (DSN/COMM)
AIRCRAFT TYPE	TAIL NUMBER	
GALLONS OF JP8+100	AIRCRAFT HOME STATION	MILITARY SERVICE AND PHONE(DSN/COMM)
PILOT'S ACKNOWLEDGEMENT (Printed and Signature)		DATE
REMARKS		

DISTRIBUTION:
 ISSUING ORGANIZATION WILL MAINTAIN ONE COPY
 GIVE ONE COPY TO THE PILOT
 FAX ONE COPY TO THE AIR FORCE PETROLEUM OFFICE, TECHNICAL ASSISTANCE TEAM, DSN 785-8070
 FAX ONE COPY TO THE APPROPRIATE SERVICE AGENCY WITHIN 24 HOURS
 USAF MAJCOM FUELS OFFICE
 USN NAVY PETROLEUM OFFICE, COM FAX 301-757-3614
 USA ARMY PETROLEUM CENTER, DSN 771-7203

**Download any U.S. FedForm (free, fillable, savable in Adobe Reader)!
Start with the "Flash Demo" at the top of the following page:
www.usa-federal-forms.com**

**Convert any fillable PDF form to savable (locally, in Adobe Reader):
www.savePDF.com**

**Convert any document (in any format) to PDF fillable and savable:
www.FillinDocs.com**

**All (10's of 1,000's) U.S. Federal Forms already fillable, savable:
www.usa-federal-forms.com**

About the ITAOP/savePDF Method

The traditional Field-by-Field creation process is extremely ineffective and slow.

The only realistic option to create high-quality forms is the Insert-Text-Anywhere-on-Page (ITAOP) method.

The field creation process is about 10,000 times faster than the traditional method; the list of ITAOP features is not even available for the traditional method.

ITAOP savePDF method proved to be very simple and completely reliable for millions of users all over the world (incl. individuals, companies, organizations, government employees).