

ROAD RECONNAISSANCE REPORT

For use of this form, see FM 5-36; proponent agency is TRADOC.

DATE

TO (Headquarters ordering reconnaissance)

FROM: (Name, grade and unit of officer or NCO making reconnaissance)

1. MAPS	a. COUNTRY	b. SCALE	c. SHEET NUMBER OF MAPS	2. DATE/TIME GROUP (Of signature)
---------	------------	----------	-------------------------	--------------------------------------

SECTION I - GENERAL ROAD INFORMATION

3. ROAD GRID REFERENCE	4. ROAD MARKING (Civilian or Military number of road)	5. LENGTH OF ROAD (Miles or kilometers, specify)
FROM	TO	
6. WIDTH OF ROADWAY (Feet or meters, specify)		8. WEATHER DURING RECONNAISSANCE (Include last rainfall, if known)
7. RECONNAISSANCE		
DATE	TIME	

SECTION II - DETAILED ROAD INFORMATION (When circumstances permit more detailed information will be shown in an overlay or on the mileage chart on the reverse side of this form. Standard symbols will be used.)

9. ALINEMENT (Check one ONLY)	10. DRAINAGE (Check one ONLY)
(1) FLAT GRADIENTS AND EASY CURVES	(1) ADEQUATE DITCHES, CROWN/CAMBER WITH ADEQUATE CULVERTS IN GOOD CONDITION
(2) STEEP GRADIENTS (Excess of 7 in 100)	
(3) SHARP CURVES (Radius less than 100 ft (30m))	
(4) STEEP GRADIENTS AND SHARP CURVES	
11. FOUNDATION (Check one ONLY)	
(1) STABILIZED COMPACT MATERIAL OF GOOD QUALITY	(2) UNSTABLE, LOOSE OR EASILY DISPLACED MATERIAL
12. SURFACE DESCRIPTION (Complete Items 12a and b)	
a. THE SURFACE IS (Check one ONLY)	
(1) FREE OF POTHOLES, BUMPS, OR RUTS LIKELY TO REDUCE CONVOY SPEED	(2) BUMPY, RUTTED OR POTHOLED TO AN EXTENT LIKELY TO REDUCE CONVOY SPEED
b. TYPE OF SURFACE (Check one ONLY)	
(1) CONCRETE	(6) WATERBOUND MACADAM
(2) BITUMINOUS (Specify type where known):	(7) GRAVEL
	(8) LIGHTLY METALLED
(3) BRICK (Pave)	(9) NATURAL OR STABILIZED SOIL, SAND CLAY, SHELL, CINDERS, DISINTEGRATED GRANITE, OR OTHER SELECTED MATERIAL
(4) STONE (Pave)	(10) OTHER (Describe):
(5) CRUSHED ROCK OR CORAL	


SECTION III - OBSTRUCTIONS (List in the columns below particulars of the following obstructions which affect the traffic capacity of a road. If information of any factor cannot be ascertained, insert "NOT KNOWN")

- (a) Overhead obstructions, less than 14 feet or 4.25 meters, such as tunnels, bridges, overhead wires and overhanging buildings.
- (b) Reductions in road widths which limit the traffic capacity, such as craters, narrow bridges, archways, and buildings.
- (c) Excessive gradients (Above 7 in 100)
- (d) Curves less than 100 feet (30 meters) in radius
- (e) Fords

SERIAL NUMBER <i>a</i>	PARTICULARS <i>b</i>	GRID REFERENCE <i>c</i>	REMARKS <i>d</i>

SECTION IV - MILEAGE CHART

ROUTE		SCALE	DATE
FROM	TO		



REMARKS
