

NAVAIR 13700/3 (~~1132~~) S/N 0102-LF-994-2000

DATE 4-26-93

CLASSIFICATION OF ENCLOSURES *uncl.*

TITLE OR DESCRIPTION
AIRCRAFT ENGINE RECORD

NO. OF PAGES
1

TRIM SIZE
5x8"

STOCK SPECIFICATIONS

GRADE	WEIGHT	COLOR	GRADE	WEIGHT	COLOR	GRADE	WEIGHT	COLOR
<i>INDEX</i>	<i>110#</i>	<i>WHITE</i>						

PRINTING SPECIFICATIONS

ONE SIDE	TWO SIDES <input checked="" type="checkbox"/>	SAME <input checked="" type="checkbox"/>	DIFFER	H TO H <input checked="" type="checkbox"/>	H TO F	H TO L	H TO R	COLOR INK (If not black)	SUPERSEDES <i>SN 0102-LF-006-5100</i>	NEW				
FRONT MARGINS		HEAD		LEFT		RIGHT		FOOT		BACK MARGINS	HEAD	LEFT	RIGHT	FOOT
<input type="checkbox"/> 3/8 HEAD CNTR L & R		<input checked="" type="checkbox"/> OTHER		<i>1/8"</i>		<i>CTR</i>				<input type="checkbox"/> 3/8 HEAD CNTR L & R	<input checked="" type="checkbox"/> OTHER	<i>1/8"</i>	<i>CTR</i>	

FINISHING SPECIFICATIONS

FOLDING		STD. DRILLING		NON-STANDARD DRILLING				WIRE STITCHING				
FOLD TO		2 TOP	3 LEFT	NO.	DIAMETER	C TO C	LOCATION	NO.	<input type="checkbox"/> SIDE	<input type="checkbox"/> SADDLE	<input type="checkbox"/> TOP LEFT CORNER	<input type="checkbox"/> OTHER
PERFORATING OR SCORING				PADDING				UNIT OF ISSUE	QUANTITY PER UNIT OF ISSUE	PACKAGING SPECIFICATIONS		
<input type="checkbox"/> PERF	<input type="checkbox"/> SCORE	DISTANCE	FROM	SHEETS	SETS	LOCATION	OTHER	<i>PG</i>	<i>100</i>	<i>Suitable</i>		

SPECIAL INSTRUCTIONS/REMARKS