

FORM OR PUBLICATION NO. AND ISSUE OR REVISION DATE
NAVCOMPT 742 (7-74) S/N 0104-LF-700-7420

FP/NO.

DATE
21 AUG 74

CLASSIFICATION OF ENCLOSURES

TITLE OR DESCRIPTION
PROPERTY AND DEPRECIATION RECORD

NO. OF PAGES

2

TRIM SIZE

8 x 5 3/4

STOCK SPECIFICATIONS

GRADE	WEIGHT	COLOR	GRADE	WEIGHT	COLOR	GRADE	WEIGHT	COLOR
25% LEDGER	64	WHITE						

PRINTING SPECIFICATIONS

ONE SIDE	TWO SIDES	BAME	DIFFER	M TO M	M TO F	M TO L	M TO R	COLOR (ink (if not black))	SUPERSEDES	NEW	
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>					NAVCOMPT 742 (7-5)		
FRONT MARGINS		HEAD		LEFT		RIGHT		FOOT		BACK MARGINS	
<input type="checkbox"/> 3/8 HEAD CTR L & R		<input checked="" type="checkbox"/> OTHER		1/8		CTR				<input type="checkbox"/> 3/8 HEAD CTR L & R	
								<input checked="" type="checkbox"/> OTHER		1/8	

FINISHING SPECIFICATIONS

FOLDING		STD-DRILLING		NON-STANDARD DRILLING			WIRE STITCHING				
FOLD TO	2 TOP	3 LEFT	NO.	DIAMETER	C TO C	LOCATION	NO.	<input type="checkbox"/> SIDE	<input type="checkbox"/> SADDLE	<input type="checkbox"/> TOP LEFT CORNER	
PERFORATING OR SCORING				PADDING				UNIT OF ISSUE			
<input checked="" type="checkbox"/> PERF	<input type="checkbox"/> SCORE	DISTANCE FROM		SHEETS	SETS	LOCATION					
		REGULAR PERF. 3/4 HORIZ. BOTTOM EDGE				<input type="checkbox"/> TOP	PG-100-				

DETAILED INSTRUCTIONS

QTY-