



# OPERATOR'S INSPECTION GUIDE AND TROUBLE REPORT

REGISTRATION NO.

ODOMETER READING

Use this form as a guide when performing before and after operation inspections. Check (✓) items that require servicing by maintenance personnel.

1. DAMAGE (*Exterior/Interior/Missing Components*)2. LEAKS (*Oil, Gas, Water*)3. TIRES (*Check inflation, abnormal wear*)4. FUEL, OIL, WATER SUPPLY (*Antifreeze in season*)5. BATTERY (*Check water level, cables, etc.*)

6. HORN

7. LIGHTS/REFLECTORS/MIRRORS/TURN SIGNALS

8. INSTRUMENTS (*Oil, Air, Temperature, etc.*)

9. WINDSHIELD WIPER

10. CLEAN WINDSHIELD/VEHICLE INTERIOR

11. CARGO, MOUNTED EQUIPMENT

12. STEERING

13. SAFETY DEVICES (*Seat belts, flares, etc.*)

14. DRIVE BELTS/PULLEYS

15. BRAKES (*Drain air tank when equipped*)16. OTHER (*Specify in "Remarks"*)

DATE

OPERATOR'S SIGNATURE

REMARKS

NAVPUB 9-11240/13 (12/69) 3/N D105-LF-004-1195		DATE	CLASSIFICATION OF ENCLOSURES
Operator's Inspection Guide + Trouble Report		NO. OF PAGES	TRIM SIZE
		1	4x6

## STOCK SPECIFICATIONS

GRADE	WEIGHT	COLOR	GRADE	WEIGHT	COLOR	GRADE	WEIGHT	COLOR
INDEX	110	White						

## PRINTING SPECIFICATIONS

ONE SIDE	TWO SIDES	SAME	DIFFER	H TO H	H TO F	H TO L	H TO R	COLOR INK (If not black)	SUPERSEDES	NEW
X									DD FORM 1358	
FRONT MARGINS				HEAD	LEFT	RIGHT	FOOT	BACK MARGINS		
<input type="checkbox"/> 3/8 HEAD CNTR L & R	<input checked="" type="checkbox"/> OTHER			1/4	CTR			<input type="checkbox"/> 3/8 HEAD CNTR L & R	<input type="checkbox"/> OTHER	

## FINISHING SPECIFICATIONS

FOLDING		STD. DRILLING		NON-STANDARD DRILLING			WIRE STITCHING				
FOLD TO	2 TOP	3 LEFT	NO.	DIAMETER	C TO C	LOCATION	NO.	<input type="checkbox"/> SIDE	<input type="checkbox"/> SADDLE	<input type="checkbox"/> TOP LEFT CORNER	<input type="checkbox"/> OTHER
PERFORATING OR SCORING			PADDING				UNIT OF ISSUE	QUANTITY PER UNIT OF ISSUE	PACKAGING SPECIFICATIONS		
<input type="checkbox"/> PERF	<input type="checkbox"/> SCORE	DISTANCE	FROM	SHEETS	SETS	LOCATION	OTHER	PG	100	Buy Code + Stocking	
SPECIAL INSTRUCTIONS/REMARKS									Optional		