





NAVSEA 9210/25 (1-95) S/N 0116-LF-019-2700

Uncl

TITLE OR DESCRIPTION

NO. OF PAGES

TRIM SIZE

RADIATION MONITOR RECORD

1

8 1/2 x 5"

STOCK SPECIFICATIONS

GRADE	WEIGHT	COLOR	GRADE	WEIGHT	COLOR	GRADE	WEIGHT	COLOR
INDEX	110#	WHITE						

PRINTING SPECIFICATIONS

ONE SIDE	TWO SIDES	SAME	DIFFER	H TO H	H TO F	H TO L	H TO R	COLOR INK (If not black)	SUPERSEDES	NEW		
<input checked="" type="checkbox"/>										<input checked="" type="checkbox"/>		
FRONT MARGINS		HEAD		LEFT	RIGHT	FOOT	BACK MARGINS		HEAD	LEFT	RIGHT	FOOT
<input type="checkbox"/> 3/8 HEAD CNTR L & R		<input checked="" type="checkbox"/> OTHER		1/4"	CTR		<input type="checkbox"/> 3/8 HEAD CNTR L & R		<input type="checkbox"/> OTHER			

FINISHING SPECIFICATIONS

FOLDING	STD. DRILLING	NON-STANDARD DRILLING				WIRE STITCHING						
FOLD TO	2 TOP	3 LEFT	NO.	DIAMETER	C TO C	LOCATION	NO.	SIDE	SADDLE	TOP LEFT CORNER	OTHER	
								<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
PERFORATING OR SCORING			PADDING				UNIT OF ISSUE	QUANTITY PER UNIT OF ISSUE	PACKAGING SPECIFICATIONS			
<input type="checkbox"/> PERF	<input type="checkbox"/> SCORE	DISTANCE	FROM	SHEETS	SETS	LOCATION	OTHER	PG	100	OPTIONAL		
						<input type="checkbox"/> TOP						

SPECIAL INSTRUCTIONS/REMARKS